

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/517,406	12/06/2004	Edgar Hidalgo Vargas	240503	3984
1818	7590 07/05/2006 .		EXAMINER	
	MA & ASSOCIATE CHELIMA, ESQ.	MAUST, TIMO	OTHY LEWIS	
235 S.W. LE JEUNE ROAD			ART UNIT	PAPER NUMBER
MIAMI, FL 33134			3751	

DATE MAILED: 07/05/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)			
Office Action Summany	10/517,406	VARGAS, EDGAR HIDALGO			
Office Action Summary	Examiner	Art Unit			
	Timothy L. Maust	3751			
The MAILING DATE of this communication a Period for Reply	appears on the cover sheet w	ith the correspondence address			
A SHORTENED STATUTORY PERIOD FOR REF WHICHEVER IS LONGER, FROM THE MAILING  - Extensions of time may be available under the provisions of 37 CFR after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory perions are provided by the office later than three months after the material patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNI 1.136(a). In no event, however, may a od will apply and will expire SIX (6) MOI tute, cause the application to become A	CATION. reply be timely filed NTHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).			
Status					
1) Responsive to communication(s) filed on 06	December 2004.				
2a) This action is <b>FINAL</b> . 2b) T	This action is <b>FINAL</b> . 2b) This action is non-final.				
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice unde	er Ex parte Quayle, 1935 C.[	D. 11, 453 O.G. 213.			
Disposition of Claims					
4) Claim(s) <u>1-5</u> is/are pending in the application 4a) Of the above claim(s) is/are withd					
5) Claim(s) <u>1-5</u> is/are allowed.					
6) Claim(s) is/are rejected. 7) Claim(s) is/are objected to.					
8) Claim(s) are subject to restriction and	d/or election requirement.				
, <u> </u>	·				
Application Papers					
<ul> <li>9) The specification is objected to by the Examination</li> <li>10) The drawing(s) filed on <u>06 December 2004</u> is</li> </ul>	_	7 objected to by the Evaminer			
Applicant may not request that any objection to the					
Replacement drawing sheet(s) including the corr		·			
11) The oath or declaration is objected to by the					
Priority under 35 U.S.C. § 119					
12)⊠ Acknowledgment is made of a claim for forei a)⊠ All b)□ Some * c)□ None of:	ign priority under 35 U.S.C.	§ 119(a)-(d) or (f).			
1. ☐ Certified copies of the priority documents have been received.					
2. Certified copies of the priority documents have been received in Application No					
3. Copies of the certified copies of the p	riority documents have beer	received in this National Stage			
application from the International Bure					
* See the attached detailed Office action for a l	list of the certified copies no	t received.			
•					
Attachment(s)					
1) Notice of References Cited (PTO-892)		Summary (PTO-413)			
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date.  5) Notice of Informal Patent Application (PTO-152)					
Paper No(s)/Mail Date 6) Other:					

## **DETAILED ACTION**

Page 2

This application is in condition for allowance except for the following formal matters:

The drawings are objected to under 37 CFR 1.83(a) because they fail to show the cable "100" as described in the specification on page 7, line 1. Any structural detail that is essential for a proper understanding of the disclosed invention should be shown in the drawing. MPEP § 608.02(d). Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Art Unit: 3751

## Conclusion

Prosecution on the merits is closed in accordance with the practice under *Ex* parte Quayle, 1935 C.D. 11, 453 O.G. 213.

A shortened statutory period for reply to this action is set to expire **TWO**MONTHS from the mailing date of this letter.

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Spies, Morris, Jr. and Serio references pertain to various granular material dispensing devices, similar in structure to that of Applicant's device.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Timothy L. Maust whose telephone number is (571) 272-4891. The examiner can normally be reached on Tue. - Thur. 6:30 - 5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Justine R. Yu can be reached on (571) 272-4835. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3751

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Timothy L Maust Primary Examiner Art Unit 3751

Tlm 6/22/06